

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	108	transconductance adj amplifier and conver\$6 near10 (television or video or Tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 07:36
L12	3	transconductance adj amplifier and conver\$6 near10 (television or video or Tv) and((Red same Green same Blue) or RGB) and YUv	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 07:51
L13	1006	transconductance adj amplifier and conver\$6 near10 (television or video or Tv) and((Red same Green same Blue) or RGB) "i.sub.v"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 07:47
L14	0	transconductance adj amplifier and conver\$6 near10 (television or video or Tv) and((Red same Green same Blue) or RGB) and "i.sub.v"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 07:47
L15	4036	transconductance adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 07:47
L16	5	transconductance adj amplifier and "i.sub.v"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 07:48
L17	117	transconductance adj amplifier and (video tv television) and dac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 07:50
L18	0	transconductance adj amplifier and (video tv television) and dac and "i. sub.v"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 07:50

L19	26	transconductance adj amplifier and (video tv television) and dac and "iv"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 07:50
L20	13	transconductance adj amplifier and conver\$6 near10 (television or video or Tv) and((Red same Green same Blue) or RGB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 08:28
L21	2	"4,782,290".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 08:44
L22	278	725/127.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 08:51
L23	1175567	(preamplifier circuit).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 08:51
L24	173	(preamplifier adj circuit).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 08:52
L25	595	330/185.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 08:52
S11 9	55158	d/a adj converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 15:39

S12 0	1384	S119 and preamplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 15:39
S14 0	953	polyphase adj filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:11
S14 1	242	polyphase adj filter and modulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:11
S14 2	99	polyphase adj filter and modulator and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:57
S14 3	3147713	match current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:57
S14 4	206	match\$2 adj current and amp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:57
S14 5	1408	match\$2 adj current and amplifier\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 16:58
S14 6	169	(match\$2 near2 current) and (transconductance adj amplifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:10

S14 7	9758	input with output with "same" with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:10
S14 8	195	input with output with "same" with current and (transconductance adj amplifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:11
S14 9	33	input with output with "same" with current same (transconductance adj amplifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:26
S15 0	17211	"d/a" same amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:26
S15 1	171	"d/a" near amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:27
S15 2	67	"d/a" near2 amplifier and crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:32
S15 3	145553	"d/a" near2 amplifier crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:32
S15 4	67	"d/a" near2 amplifier and crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:33

S15 7	19	"d/a" same pre-amplifier and crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:37
S15 8	9	("d/a" DAC) with pre-amplifier and crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:40
S15 9	6	("d/a" DAC) with pre-amplifier and crt and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:46
S16 1	449	dac adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:47
S16 2	5287610	dac wiht output current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:47
S16 3	56	(dac d/a) near2 suppl\$3 adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:48
S16 6	56	(dac d/a) near2 suppl\$3 adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 17:54
S16 7	42	((dac d/a) near2 suppl\$3 adj current) and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 07:50

S16 8	7	((dac d/a) near2 suppl\$3 adj current) and amplifier and transconductance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:25
S16 9	50	(transconductance adj amplifier) and crt and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 07:45
S17 0	25	(transconductance adj amplifier) and crt and video and (d/a dac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 07:48
S17 1	2	(d/a dac) adj suppl\$3 adj current adj2 amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 07:49
S17 2	44	((dac d/a d-to-a "digital to analog" "digital-to-analog") near2 suppl\$3 adj current) and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 07:55
S17 3	49	((dac d/a d-to-a "digital to analog" "digital-to-analog" DSP) near2 suppl\$3 adj current) and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:02
S17 4	12202	(current near2 conver\$4) with amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:02
S17 5	7	((dac d/a d-to-a "digital to analog" "digital-to-analog" DSP) near2 suppl\$3 adj current) and S174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:06

S17 6	6195	(digital adj signal adj process\$3) same (d/a dac "digital to analog" "digital-to-analog")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:07
S17 7	1757	S176 same amplif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:07
S17 8	63	S177 and crt and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:07
S17 9	38	"d/a" near2 amplifier and crt and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:35
S18 0	487	current near2 amplif\$4 and video and d/a	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:36
S18 1	165	((d/a dac) same (current near2 amplif\$4)) and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:55
S18 2	1	((d/a dac) same ((current near input)near2 amplif\$4)) and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:56
S18 3	1	((d/a dac) same ((current near input) near2 amplif\$4)) and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:57

S18 4	521	(low adj impedance) near amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:57
S18 5	8	(low adj impedance) near amplifier and crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:58
S18 6	93	(low adj impedance) with amplifier and crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:59
S18 7	9	(low adj input adj impedance) with amplifier and crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 09:05
S18 8	33	(low adj input adj impedance) with amplifier and d/a	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 09:05
S18 9	1	(low adj input adj impedance) with amplifier same d/a	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 09:09
S19 0	922	video adj (d/a dac "digital to analog" "digital-to-analog")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 09:50
S19 1	4	S190 and (low adj impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 09:11

S19 2	258	S190 and red and green and blue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 09:11
S19 3	76	S192 and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 09:12
S19 4	0	video adj (d/a dac "digital to analog" "digital-to-analog") and "const current"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 09:50
S19 5	24	video adj (d/a dac "digital to analog" "digital-to-analog") and "constant current"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:38
S19 6	101836	conver\$4 near2 signal\$1 with circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:38
S19 7	17396	S196 and (d/a dac "digital to analog" "digital-to-analog" "d-to-a")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:39
S19 8	10586	S197 and amplif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:39
S19 9	6266070	i	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:40

S20 0	896	S198 and (("same" constant) adj current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:41
S20 1	1054	S198 and (("same" constant reference) adj current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:41
S20 3	172916	S199 and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 11:42
S20 4	223	S200 and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:21
S20 5	2	(reference near2 current) same (d/a d-to-a "digital to analog" "digital-to-analog" dac) same pre-amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:25
S21 0	48	(sample adj2 hold) and (video adj (d/a dac "digital-to-analog" "digital to analog" d-to-a))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:50
S21 1	44	(sample adj2 hold) and (video adj (d/a dac "digital-to-analog" "digital to analog" d-to-a)) and amplifier\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:52
S21 2	1	(dsp (digital adj signal\$1 adj processor\$1)) same dac same "i. sub.ref"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:54

S21 3	9740	("same" constant) same (current asj characteristic) and dac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:54
S21 4	2287	("same" constant) same (current asj characteristic) same dac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:54
S21 5	3	("same" constant) same (current adj characteristic) same dac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:55
S21 6	1	("same" constant) with (current near characteristic) same dac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:56
S21 7	14	(current near characteristic) same dac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:57
S21 8	1	(signal near conver\$4) and video adj (d/a dac "digital to analog") and current near characteristic\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 12:58
S21 9	146	(signal near conver\$4) and video adj (d/a dac "digital to analog")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:00
S22 1	2063	current adj amplif\$7 and ((current near2 voltage) near2 conver\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:03

S22 2	0	S221 and video adj dac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:02
S22 3	34	current adj amplif\$7 and ((current near2 voltage) near2 conver\$5) and video and crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:27
S22 4	4	current adj amplif\$7 and ((current near2 voltage) near2 conver\$5) and video and crt and dac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:28
S22 5	12	current adj amplif\$7 and ((current near2 voltage) near2 conver\$5) and video and crt and (d/a dac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:40
S22 6	12	current adj amplif\$7 and ((current near2 voltage) near2 conver\$5) and video and crt and (d/a dac (digital adj analog))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:29
S22 7	13	(video adj process\$3) same (d/a dac) same (pre-amplif\$7 and amplif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:45
S22 8	3	(rgb) same (d/a dac) same (pre-amplif\$7 and amplif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:46
S23 0	148	video adj pre-amplif\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:51

S23 1	24	video adj pre-amplif\$7 and (d/a dac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 13:53
S23 2	74	video adj \$3amplif\$7 and (d/a dac) and (constant control\$4 limit\$3 hold\$3 clamp\$4) adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:10
S23 3	6	video adj \$3amplif\$7 and ((d/a dac) same (current adj2 voltage)) and (constant control\$4 limit\$3 hold\$3 clamp\$4) adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:11
S23 5	24	(signal adj converter) same transconductance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:42
S23 6	464	(current adj conver\$4) same transconductance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:42
S23 7	107	(current adj2 voltage adj conver\$4) same transconductance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:44
S23 8	3	(current adj2 voltage adj conver\$4) same transconductance and crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:52
S23 9	3	((current adj2 voltage) current\$1voltage) adj conver\$4) same transconductance and crt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:52

S24 0	15	((current adj2 voltage) current\$1voltage) adj conver\$4) same transconductance and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:53
S24 1	777420	transconductance amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:53
S24 2	4036	transconductance adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:54
S24 3	405	transconductance adj amplifier and dac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 14:54
S24 4	146	transconductance adj amplifier same dac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:31
S24 5	772626	(control\$3 near2 current) with transconductance amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:31
S24 6	356	(control\$3 near2 current) with transconductance adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:33
S24 7	24	(processor) with (control\$3 near2 current) and transconductance adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:26

S26 7	4	(processor) with (control\$3 near2 current) and transconductance adj amplifier and (d/a dac)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 16:34
S27 3	13	transconductance adj amplifier and conver\$6 near10 (television or video or Tv) and((Red same Green same Blue) or RGB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 07:46